

SECTION 4 – REACTIVITY HAZARD DATA

STABILITY: ✓ Stable

Conditions To Avoid:
Unstable N/A

Incompatibility (Materials to Avoid): STRONG ACIDS OR BASES, OXIDIZING AGENTS

Hazardous Decomposition Products: CO, CO₂, OZONE, HYDROGEN SULFIDE, OXIDES OF SULFUR AND VARIOUS HYDROCARBON

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 5 – HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY:

Inhalation Skin Absorption ✓ Ingestion ✓

CARCINOGEN LISTED IN:

NTP IARC Monograph OSHA ✓ Not Listed

HEALTH HAZARDS: *Acute* MECHANICAL IRRITATION

Chronic DUE TO PRODUCT FORM AND RECOMMENDED USE, EXPOSURES TO DUSTS OR FUMES ARE NOT EXPECTED

Signs and Symptoms of Exposure: N/A

Medical Conditions Generally Aggravated by Exposure: N/A

EMERGENCY FIRST AID PROCEDURES: SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT IF NECESSARY.

Eye Contact: IF PARTICLES ENTER THE EYE, IT WILL CAUSE IRRITATION POSSIBLY RESULTING IN SCRATCHING OF THE EYE, STINGING, REDNESS OR SWELLING.

Skin Contact: PRIMARY ROUTE OF EXPOSURE IS SKIN CONTACT. REPEATED CONTACT MAY CAUSE TEARING OF SKIN, REDNESS, DRYING OR CRACKING.

Inhalation: IF PRODUCT IS HEATED, EXPOSURE TO FUMES, VAPORS OR MISTS MAY CAUSE IRRITATION OF THE NOSE AND THROAT. USE OF PRODUCT IN WELL-VENTILATED WORKING AREAS IS NOT EXPECTED TO CAUSE ADVERSE EFFECTS.

Ingestion: TYPICALLY ASPHALT PRODUCTS HAVE LOW TOXICITY WHEN SWALLOWED. IF SWALLOWED THIS PRODUCT MAY CAUSE IRRITATION OF THE DIGESTIVE TRACT FOLLOWED BY VOMITING. SHOULD VOMITING OCCUR, SMALL AMOUNTS OF MATERIAL CAN BE ASPIRATED INTO THE LUNG.

SECTION 6 – CONTROL AND PROTECTIVE MEASURES

Respiratory Protection (Specify Type): IF IRRITATION OCCURS, USE 3M-9900 OR 3m-8710 OR EQUIVALENT

Protective Gloves: RECOMMENDED TO PREVENT ABRASION OR SKIN IRRITATION

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS

VENTILATION TO BE USED:

✓ Local Exhaust AMBIENT Mechanical (General) N/A
Special N/A ✓ Other (Specify) MECHANICAL IN CONFINED SPACES IF MATERIAL IS HEATED

Other Protective Clothing and Equipment: N/A

Hygienic Work Practices: WASH HANDS AFTER APPLICATION

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES

Steps to be Taken if Material is Spilled or Released: PICK UP PIECES AND DISPOSE PROPERLY. AVOID DRY SWEEPING OR BLOWING WITH AIR IN CONFINED SPACES.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Precautions to be Taken in Handling and Storage: STORE AWAY FROM HEAT AND ALL IGNITION SOURCES AND OPEN FLAMES.

Other Precautions and/or Special Hazards: N/A